

Buy America Certificate



LEADING THE WAY™

revision J, 20260813

FHWA BUY AMERICA COMPLIANT ITEMS, TRENTON CATALOG

Valid from: 01-01-2026 to 12-31-2026

To Whom It May Concern:

The MacLean Power Systems products listed below meet the FHWA Buy America requirement. All manufacturing processes for these steel and iron materials, including the application of coatings (unless granted a waiver pursuant to 23 CFR 635.410) has occurred in the United States. Additionally, the below complies the Build America, Buy America Act (BABAA) and suitable for use in Broadband Equity and Deployment Program (BEAD).

Category	Ordinal	Catalog Number	Description
MACHINE BOLT	1	J8808US	BOLT-MACHINE-5/8X8
	2	J8810US	BOLT-MACHINE-5/8X10
	3	J8812US	BOLT-MACHINE-5/8X12
	4	J8814US	BOLT-MACHINE-5/8X14
	5	J8816US	BOLT-MACHINE-5/8X16
	6	J8818US	BOLT-MACHINE-5/8X18
	7	J8820US	BOLT-MACHINE-5/8X20
	8	J8908US	BOLT-MACHINE-3/4X8
	9	J8910US	BOLT-MACHINE-3/4X10
	10	J8912US	BOLT-MACHINE-3/4X12
	11	J8914US	BOLT-MACHINE-3/4X14
	12	J8916US	BOLT-MACHINE-3/4X16
	13	J8918US	BOLT-MACHINE-3/4X18
	14	J8920US	BOLT-MACHINE-3/4X20
	15	76400	BOLT-MACHINE-1/2X6
	16	76402	BOLT-MACHINE-1/2X7
	17	76442	BOLT-MACHINE-5/8X10
	18	76444	BOLT-MACHINE-5/8X12
	19	76446	BOLT-MACHINE-5/8X14
	20	76448	BOLT-MACHINE-5/8X16
	21	76450	BOLT-MACHINE-5/8X18
	22	76452	BOLT-MACHINE-5/8X20
	23	76454	BOLT-MACHINE-5/8X24
	24	76484	BOLT-MACHINE-3/4X12
	25	76486	BOLT-MACHINE-3/4X14
	26	76488	BOLT-MACHINE-3/4X16
	27	76490	BOLT-MACHINE-3/4X18
"A" CABLE SUSPENSION BOLT	28	JCA6645A01US	BOLT-MACH-5/8X8
	29	JCA6645A02US	BOLT-MACH-5/8X10
	30	JCA6645A03US	BOLT-MACH-5/8X12
	31	JCA6645A04US	BOLT-MACH-5/8X14
	32	JCA6645A05US	BOLT-MACH-5/8X16
	33	JCA6645A06US	BOLT-MACH-5/8X18


LEADING THE WAY™

revision J, 20260813

"A" CABLE SUSPENSION BOLT	34	JCA6645A07US	BOLT-MACH-5/8X20
	35	JCA6645A10US	BOLT-MACH-3/4X10
	36	JCA6645A11US	BOLT-MACH-3/4X12
	37	JCA6645A12US	BOLT-MACH-3/4X14
	38	JCA6645A13US	BOLT-MACH-3/4X16
	39	JCA6645A14US	BOLT-MACH-3/4X18
THIMBLE EYE BOLT	40	J8051US	BOLT-THMBL EYE 5/8X10
	41	J8052US	BOLT-THMBL EYE 5/8X12
	42	J8053US	BOLT-THMBL EYE 5/8X14
	43	J8054US	BOLT-THMBL EYE 5/8X16
	44	J8055US	BOLT-THMBL EYE 5/8X18
	45	J8062US	BOLT-THMBL EYE 3/4X12
	46	J8063US	BOLT-THMBL EYE 3/4X14
OVAL EYE BOLT	47	J9406US	BOLT-OVAL EYE 5/8X6
	48	J9408US	BOLT-OVAL EYE 5/8X8
	49	J9410US	BOLT-OVAL EYE 5/8X10
	50	J9412US	BOLT-OVAL EYE 5/8X12
	51	J9414US	BOLT-OVAL EYE 5/8X14
	52	J9416US	BOLT-OVAL EYE 5/8X16
	53	J9418US	BOLT-OVAL EYE 5/8X18
	54	J9420US	BOLT-OVAL EYE 5/8X20
DOUBLE ARMING BOLT	55	J8862US	BOLT-DBL ARMING 5/8X12
	56	J8864US	BOLT-DBL ARMING 5/8X14
	57	J8866US	BOLT-DBL ARMING 5/8X16
	58	J8868US	BOLT-DBL ARMING 5/8X18
	59	J8870US	BOLT-DBL ARMING 5/8X20
	60	J8872US	BOLT-DBL ARMING 5/8X22
	61	J8874US	BOLT-DBL ARMING 5/8X24
	62	J8876US	BOLT-DBL ARMING 5/8X26
	63	J8878US	BOLT-DBL ARMING 5/8X30
	64	J8881US	BOLT-DBL ARMING 5/8X36
	65	J8882US	BOLT-DBL ARMING 3/4X12
	66	J8884US	BOLT-DBL ARMING 3/4X14
	67	J8888US	BOLT-DBL ARMING 3/4X18
	68	J8890US	BOLT-DBL ARMING 3/4X20
	69	J8896US	BOLT-DBL ARMING 3/4X26

Buy America Certificate



LEADING THE WAY™

revision J, 20260813

DOUBLE ARMING BOLT	70	76600	BOLT-DBL ARMING 5/8X10	J
	71	76602	BOLT-DBL ARMING 5/8X12	J
	72	76604	BOLT-DBL ARMING 5/8X14	J
	73	76606	BOLT-DBL ARMING 5/8X16	J
	74	76608	BOLT-DBL ARMING 5/8X18	J
	75	76610	BOLT-DBL ARMING 5/8X20	J
	76	76612	BOLT-DBL ARMING 5/8X22	J
	77	76614	BOLT-DBL ARMING 5/8X24	J
	78	76618	BOLT-DBL ARMING 5/8X28	J
	79	76620	BOLT-DBL ARMING 5/8X30	J
	80	76700	BOLT-DBL ARMING 3/4X12	J
	81	76706	BOLT-DBL ARMING 3/4X18	J
	82	76710	BOLT-DBL ARMING 3/4X22	J
WASHERS	83	TBD		
	84	TBD		
	85	J1076US	WASHER-SQ-2 1/4 X 3/16, 3/4 BOLT	
	86	J6822US	WASHER-SQ CURVED 2 1/2 X 3/16	
	87	TBD		
NUTS	88	J8563US	NUT-SQ-5/8	
	89	J8564US	NUT-SQ-3/4	
	90	768200	NUT-SQ-5/8	J
	91	768206	NUT-SQ-3/4	J
EYE NUTS	92	76726	NUT-OVAL EYE 5/8	J
	93	76727	NUT-OVAL EYE 3/4	J
	94	76728	NUT-SINGLE STRAND EYE 5/8	J
	95	76730	NUT-SINGLE STRAND EYE 3/4	J
GUY HOOKS	96	76720	B GUY HOOK 5/8	J
	97	76722	B GUY HOOK 3/4	J


LEADING THE WAY™

revision J, 20260813

ROUND CORNER SQUARE HELICAL ANCHORS	98	D6620UUS	EXTENSION FOR ANCHORS 1-1/2 RCS X 60 IN LENGTH
NO-WRENCH ANCHORS	99	J6524WCAUS	NO WRENCH SCREW ANC 3/4X54 4 INCH HELIX
	100	J6526WCAUS	NO WRENCH SCREW ANC 3/4X66 6 INCH HELIX
	101	J6528WCAUS	NO WRENCH SCREW ANC 1X66 8 INCH HELIX
	102	J6530WCAUS	NO WRENCH SCREW ANC 1-1/4X66 10 INCH HELIX
	103	J6550WCAUS	NO WRENCH SCREW ANC 1-1/4X96 10 INCH HELIX
	104	J6584WCAUS	NO WRENCH SCREW ANC 1-1/4X96 14 INCH HELIX
	105	J6585WCAUS	NO WRENCH SCREW ANC 1-1/4X96 15 INCH HELIX
	106	76300	NO WRENCH SCREW ANC 1X66 8 INCH HELIX
	107	76301	NO WRENCH SCREW ANC 1-1/4X66 10 INCH HELIX
POWER HUB ANCHOR RODS	108	D62US	ANC ROD PH 5/8 X 84
	109	D75US	ANC ROD PH 3/4 X 84
	110	D100US	ANC ROD PH 1 X 84
	111	76250	ANC ROD PH 3/4 X 84
PH ANCHOR ROD EYENUTS	112	TEN5US	EYENUT TRIPLE FOR 5/8 ROD
	113	TEN8US	EYENUT TRIPLE FOR 3/4 AND 1 ROD
POWER HUB ANCHORS 6000 FTLBS	114	D826US	ANC 1-3/8" RCS X 8" HELIX; FOR 5/8 ROD
	115	D846US	ANC 1-3/8" RCS X 8" HELIX; FOR 3/4 OR 1 ROD
	116	D1026US	ANC 1-3/8" RCS X 10" HELIX; FOR 5/8 ROD
	117	D1046US	ANC 1-3/8" RCS X 10" HELIX; FOR 3/4 OR 1 ROD
	118	D1126US	ANC 1-3/8" RCS X 12" HELIX; FOR 5/8 ROD
	119	TBD	
	120	D1346US	ANC 1-3/8" RCS X 14" HELIX; FOR 3/4 OR 1 ROD
	121	D8426US	ANC 1-3/8" RCS X 8" HELIX (2); FOR 3/4 OR 1 ROD
	122	D10426US	ANC 1-3/8" RCS X 10" HELIX (2); FOR 3/4 OR 1 ROD
POWER HUB ANCHORS 5500 FTLBS	123	D182US	ANC 1-1/2" RCS X 8" HELIX; FOR 5/8 ROD
	124	D184US	ANC 1-1/2" RCS X 8" HELIX; FOR 3/4 OR 1 ROD
	125	D1104US	ANC 1-1/2" RCS X 10" HELIX; FOR 3/4 OR 1 ROD
	126	D1114US	ANC 1-1/2" RCS X 12" HELIX; FOR 3/4 OR 1 ROD
	127	D1134US	ANC 1-1/2" RCS X 14" HELIX; FOR 3/4 OR 1 ROD
	128	D284US	ANC 1-1/2" RCS X 8" HELIX (2); FOR 3/4 OR 1 ROD
	129	D2104US	ANC 1-1/2" RCS X 10" HELIX (2); FOR 3/4 OR 1 ROD


LEADING THE WAY™

revision J, 20260813

POWER HUB ANCHORS 7000 FTLBS	130	D1847US	ANC 1-1/2" RCS X 8" HELIX; FOR 3/4 OR 1 ROD	
	131	D11047US	ANC 1-1/2" RCS X 10" HELIX; FOR 3/4 OR 1 ROD	
	132	D11147US	ANC 1-1/2" RCS X 12" HELIX; FOR 3/4 OR 1 ROD	
	133	D2447US	ANC 1-1/2" RCS X 4" HELIX (2); FOR 3/4 OR 1 ROD	
	134	76240	ANC 1-1/2" RCS X 4" HELIX (2); FOR 3/4 OR 1 ROD	J
	135	D2847US	ANC 1-1/2" RCS X 8" HELIX (2); FOR 3/4 OR 1 ROD	
	136	D21047US	ANC 1-1/2" RCS X 10" HELIX (2); FOR 3/4 OR 1 ROD	
EXPANDING (BUST) ANCHORS	137	J8135US	ANCHOR EXPANDING 5/8" OR 3/4" ROD; 135 SQIN	
	138	J81351US	ANCHOR EXPANDING 1" ROD; 135 SQIN	
	139	J820034US	ANCHOR EXPANDING 5/8" OR 3/4" ROD; 200 SQIN	
	140	J02831US	ANCHOR EXPANDING 1" ROD; 300 SQIN	
	141	76822	ANCHOR EXPANDING 5/8" OR 3/4" ROD; 135 SQIN	J
	142	J4817US	ANCHOR POLE KEY	
CROSS-PLATE ANCHORS	143	J3516US	CROSS PLATE ANC 5/8" OR 3/4" ROD; 150SQIN	
	144	76800	CROSS PLATE ANC 5/8" OR 3/4" ROD; 150SQIN	J
	145	J3520US	CROSS PLATE ANC 5/8" OR 3/4" ROD; 250SQIN	
	146	J35201US	CROSS PLATE ANC 1" ROD; 250SQIN	
	147	J352434US	CROSS PLATE ANC 5/8" OR 3/4" ROD; 400SQIN	
	148	J3524US	CROSS PLATE ANC 1" ROD; 400SQIN	
	149	J35241US	CROSS PLATE ANC 1-1/4" ROD; 400SQIN	
SOCKET DRIVE ANCHOR	150	76843	2-1/4 SOCKET ANC 10 INCH HELIX; FOR 3/4 OR 1 INCH RODS	J
MANTA RAY ANCHORS	151	20210UTIUS	MR-3-5/8	
	152	20199UTIUS	MR-2-1	
	153	20036UTIUS	MR-1-1	
	154	20229UTIUS	MR-SR-1	
RODS FOR CROSS- PLATE ANCHORS AND EXPANDING ANCHORS	155	J7415US	ROD ANCHOR SINGLE EYE 5/8" X 5'	
	156	J7416US	ROD ANCHOR SINGLE EYE 5/8" X 6'	
	157	J7418US	ROD ANCHOR SINGLE EYE 5/8" X 8'	

Buy America Certificate



LEADING THE WAY™

revision J, 20260813

RODS FOR CROSS-PLATE ANCHORS	158	J7516US	ROD ANCHOR TWIN EYE 5/8" X 6'
	159	J7517US	ROD ANCHOR TWIN EYE 5/8" X 7'
	160	J7518US	ROD ANCHOR TWIN EYE 5/8" X 8'
	161	J7527US	ROD ANCHOR TWIN EYE 3/4" X 7'
	162	J7528US	ROD ANCHOR TWIN EYE 3/4" X 8'
	163	J7529US	ROD ANCHOR TWIN EYE 3/4" X 9'
	164	J7538US	ROD ANCHOR TWIN EYE 1" X 8'
	165	J7540US	ROD ANCHOR TWIN EYE 1" X 10'
	166	J7329US	ROD ANCHOR TRIPLE EYE 3/4" X 9'
	167	J7340US	ROD ANCHOR TRIPLE EYE 1" X 10'
	168	J7350US	ROD ANCHOR TRIPLE EYE 1-1/4" X 10'

August 13th, 2026

Ron Kmiecik, Product Manager
MacLean Power Systems
481 Munn Rd, Suite 300
Fort Mill, SC 29715

This information serves as MacLean-Power Systems current affirmation that the items listed above, for the dates specified above, are compliant with the Federal Highway Administration (FHWA) Buy America requirement 23 USC §313 Buy America; 23 CFR §635.410. Due to market demand, volatile fluctuations in commodity or raw material processing and deviations in supplier material quality performance, MacLean Power Systems reserves the right to change material suppliers at any time and at our discretion without notification to our distributors and customers. MacLean Power Systems disclaims any intention, obligation or use of this information in support of the recipients use for customs, export, tax or financial reasons of any kind, and in no event will MacLean Power Systems be held liable for providing this information if the recipient uses this information for any direct or indirect use that results in collateral or incidental damages, loss of profits or revenue or economic or consequential damages of any kind. If the recipient requires specific details for export or shipping use please contact MacLean Power Systems Customer service.