



revision K, 20261030

FHWA BUY AMERICA, BABAA, AND BEAD COMPLIANT CATALOG ITEMS**Valid from: 01-01-2026 to 12-31-2026**

To Whom It May Concern:

The MacLean Power Systems products listed below meet the FHWA Buy America requirement. All manufacturing processes for these steel and iron materials, including the application of coatings (unless granted a waiver pursuant to 23 CFR 635.410) has occurred in the United States. Additionally, the below complies the Build America, Buy America Act (BABAA) and suitable for use in Broadband Equity and Deployment Program (BEAD).

MACHINE BOLT	1	J8808US	BOLT-MACHINE-5/8X8
	2	J8810US	BOLT-MACHINE-5/8X10
	3	J8812US	BOLT-MACHINE-5/8X12
	4	J8814US	BOLT-MACHINE-5/8X14
	5	J8816US	BOLT-MACHINE-5/8X16
	6	J8818US	BOLT-MACHINE-5/8X18
	7	J8820US	BOLT-MACHINE-5/8X20
	8	J8908US	BOLT-MACHINE-3/4X8
	9	J8910US	BOLT-MACHINE-3/4X10
	10	J8912US	BOLT-MACHINE-3/4X12
	11	J8914US	BOLT-MACHINE-3/4X14
	12	J8916US	BOLT-MACHINE-3/4X16
	13	J8918US	BOLT-MACHINE-3/4X18
	14	J8920US	BOLT-MACHINE-3/4X20
	15	76400	BOLT-MACHINE-1/2X6
	16	76402	BOLT-MACHINE-1/2X7
	17	76442	BOLT-MACHINE-5/8X10
	18	76444	BOLT-MACHINE-5/8X12
	19	76446	BOLT-MACHINE-5/8X14
	20	76448	BOLT-MACHINE-5/8X16
	21	76450	BOLT-MACHINE-5/8X18
	22	76452	BOLT-MACHINE-5/8X20
	23	76454	BOLT-MACHINE-5/8X24
	24	76484	BOLT-MACHINE-3/4X12
	25	76486	BOLT-MACHINE-3/4X14
	26	76488	BOLT-MACHINE-3/4X16
	27	76490	BOLT-MACHINE-3/4X18
"A" CABLE SUSPENSION BOLT	28	JCA6645A01US	BOLT-MACH-5/8X8
	29	JCA6645A02US	BOLT-MACH-5/8X10
	30	JCA6645A03US	BOLT-MACH-5/8X12
	31	JCA6645A04US	BOLT-MACH-5/8X14
	32	JCA6645A05US	BOLT-MACH-5/8X16
	33	JCA6645A06US	BOLT-MACH-5/8X18

MPS MacLean Power Systems

revision K, 20261030

"A" CABLE SUSPENSION BOLT	34	JCA6645A07US	BOLT-MACH-5/8X20
	35	JCA6645A10US	BOLT-MACH-3/4X10
	36	JCA6645A11US	BOLT-MACH-3/4X12
	37	JCA6645A12US	BOLT-MACH-3/4X14
	38	JCA6645A13US	BOLT-MACH-3/4X16
	39	JCA6645A14US	BOLT-MACH-3/4X18
THIMBLE EYE BOLT	40	J8051US	BOLT-THMBL EYE 5/8X10
	41	J8052US	BOLT-THMBL EYE 5/8X12
	42	J8053US	BOLT-THMBL EYE 5/8X14
	43	J8054US	BOLT-THMBL EYE 5/8X16
	44	J8055US	BOLT-THMBL EYE 5/8X18
	45	J8062US	BOLT-THMBL EYE 3/4X12
OVAL EYE BOLT	46	J8063US	BOLT-THMBL EYE 3/4X14
	47	J9406US	BOLT-OVAL EYE 5/8X6
	48	J9408US	BOLT-OVAL EYE 5/8X8
	49	J9410US	BOLT-OVAL EYE 5/8X10
	50	J9412US	BOLT-OVAL EYE 5/8X12
	51	J9414US	BOLT-OVAL EYE 5/8X14
	52	J9416US	BOLT-OVAL EYE 5/8X16
	53	J9418US	BOLT-OVAL EYE 5/8X18
DOUBLE ARMING BOLT	54	J9420US	BOLT-OVAL EYE 5/8X20
	55	J8862US	BOLT-DBL ARMING 5/8X12
	56	J8864US	BOLT-DBL ARMING 5/8X14
	57	J8866US	BOLT-DBL ARMING 5/8X16
	58	J8868US	BOLT-DBL ARMING 5/8X18
	59	J8870US	BOLT-DBL ARMING 5/8X20
	60	J8872US	BOLT-DBL ARMING 5/8X22
	61	J8874US	BOLT-DBL ARMING 5/8X24
	62	J8876US	BOLT-DBL ARMING 5/8X26
	63	J8878US	BOLT-DBL ARMING 5/8X30
	64	J8881US	BOLT-DBL ARMING 5/8X36
	65	J8882US	BOLT-DBL ARMING 3/4X12
	66	J8884US	BOLT-DBL ARMING 3/4X14
	67	J8888US	BOLT-DBL ARMING 3/4X18
	68	J8890US	BOLT-DBL ARMING 3/4X20
	69	J8896US	BOLT-DBL ARMING 3/4X26



revision K, 20261030

DOUBLE ARMING BOLT	70	76600	BOLT-DBL ARMING 5/8X10	
	71	76602	BOLT-DBL ARMING 5/8X12	
	72	76604	BOLT-DBL ARMING 5/8X14	
	73	76606	BOLT-DBL ARMING 5/8X16	
	74	76608	BOLT-DBL ARMING 5/8X18	
	75	76610	BOLT-DBL ARMING 5/8X20	
	76	76612	BOLT-DBL ARMING 5/8X22	
	77	76614	BOLT-DBL ARMING 5/8X24	
	78	76618	BOLT-DBL ARMING 5/8X28	
	79	76620	BOLT-DBL ARMING 5/8X30	
	80	76700	BOLT-DBL ARMING 3/4X12	
	81	76706	BOLT-DBL ARMING 3/4X18	
	82	76710	BOLT-DBL ARMING 3/4X22	
WASHERS	83	J1076US	WASHER-SQ-2 1/4 X 3/16, FOR 3/4" BOLT	
	84	J6822US	WASHER-SQ CURVED 2 1/2 X 3/16, FOR 5/8" BOLT	
	85	76732	3/16" X 2-1/4" SQUARE WASHER FOR 5/8" BOLT	K
	86	76734	1/8" X 2" SQUARE WASHER FOR 5/8" BOLT	K
	87	76736	3/16" X 2-1/4" SQUARE WASHER FOR 3/4" BOLT	K
	88	76738	3" X 3" X 11/16" HOLE X 1/4" CURVED FOR 5/8" BOLT	K
	89	76740	3" X 3" X 13/16" HOLE X 1/4" CURVED FOR 3/4" BOLT	K
NUTS	90	J8563US	NUT-SQ-5/8	
	91	J8564US	NUT-SQ-3/4	
	92	768200	NUT-SQ-5/8	
	93	768206	NUT-SQ-3/4	
EYE NUTS	94	76726	NUT-OVAL EYE 5/8	
	95	76727	NUT-OVAL EYE 3/4	
	96	76728	NUT-SINGLE STRAND EYE 5/8	
	97	76730	NUT-SINGLE STRAND EYE 3/4	
GUY HOOKS	98	76720	B GUY HOOK 5/8	
	99	76722	B GUY HOOK 3/4	
LAG SCREWS	100	76538	1/2" X 4" FETTER DRIVE LAG SCREW W/ DRIVE POINT	K
	101	76541	1/2" X 4" TWIST DRIVE LAG SCREW	K

MPS MacLean Power Systems

revision K, 20261030

CLAMPS	102	76320	5/8" ANGLE SUSPENSION CLAMP	K
	103	76405	D CABLE LASHING CLAMP	K
	104	76790	B CABLE SUSPENSION CLAMP HOT DIP GALVANIZED	K
	105	76792	B CORNER SUSPENSION CLAMP HOT DIP GALVANIZED	K
	106	76900	5/8" GROUND ROD CLAMP ECONOMY UL LISTED	K
	107	76904	BRONZE VISE CLAMP #8 SOL TO #4 STR	K
	108	US7000	KUL BRONZE BONDING CLAMP UL LISTED	K
	109	76921	5/8" THREE BOLT GUY CLAMP HOT DIP GALVANIZED	K
STRAPS	110	76794	C REINFORCING STRAP HOT DIP GALVANIZED	K
	111	76796	S REINFORCING STRAP HOT DIP GALVANIZED	K
STAPLES	112	76770	1-1/2" X 3/8" X .148" ROLLED POINT HOT DIP GALVANIZED	K
	113	J173	1-3/4" X 3/8" X .148" ROLLED POINT HOT DIP GALVANIZED	K
	114	J6652	3" X 1" X 1/4" ROLLED POINT COPPER COATED	K
ROUND CORNER SQUARE HELICAL ANCHORS	115	D6620UUS	EXTENSION FOR ANCHORS 1-1/2 RCS X 60 IN LENGTH	
NO-WRENCH ANCHORS	116	J6524WCAUS	NO WRENCH SCREW ANC 3/4X54 4 INCH HELIX	
	117	J6526WCAUS	NO WRENCH SCREW ANC 3/4X66 6 INCH HELIX	
	118	J6528WCAUS	NO WRENCH SCREW ANC 1X66 8 INCH HELIX	
	119	J6530WCAUS	NO WRENCH SCREW ANC 1-1/4X66 10 INCH HELIX	
	120	J6550WCAUS	NO WRENCH SCREW ANC 1-1/4X96 10 INCH HELIX	
	121	J6584WCAUS	NO WRENCH SCREW ANC 1-1/4X96 14 INCH HELIX	
	122	J6585WCAUS	NO WRENCH SCREW ANC 1-1/4X96 15 INCH HELIX	
	123	76300	NO WRENCH SCREW ANC 1X66 8 INCH HELIX	
POWER HUB ANCHOR RODS	124	76301	NO WRENCH SCREW ANC 1-1/4X66 10 INCH HELIX	
	125	D62US	ANC ROD PH 5/8 X 84	
	126	D75US	ANC ROD PH 3/4 X 84	
	127	D100US	ANC ROD PH 1 X 84	
PH ANCHOR ROD EYENUTS	128	76250	ANC ROD PH 3/4 X 84	
	129	TEN5US	EYENUT TRIPLE FOR 5/8 ROD	
POWER HUB ANCHORS 6000 FTLBS	130	TEN8US	EYENUT TRIPLE FOR 3/4 AND 1 ROD	
	131	D826US	ANC 1-3/8" RCS X 8" HELIX; FOR 5/8 ROD	
	132	D846US	ANC 1-3/8" RCS X 8" HELIX; FOR 3/4 OR 1 ROD	
	133	D1026US	ANC 1-3/8" RCS X 10" HELIX; FOR 5/8 ROD	
	134	D1046US	ANC 1-3/8" RCS X 10" HELIX; FOR 3/4 OR 1 ROD	
	135	D1126US	ANC 1-3/8" RCS X 12" HELIX; FOR 5/8 ROD	
	136	D1346US	ANC 1-3/8" RCS X 14" HELIX; FOR 3/4 OR 1 ROD	
	137	D8426US	ANC 1-3/8" RCS X 8" HELIX (2); FOR 3/4 OR 1 ROD	
	138	D10426US	ANC 1-3/8" RCS X 10" HELIX (2); FOR 3/4 OR 1 ROD	



revision K, 20261030

POWER HUB ANCHORS 5500 FTLBS	139	D182US	ANC 1-1/2" RCS X 8" HELIX; FOR 5/8 ROD
	140	D184US	ANC 1-1/2" RCS X 8" HELIX; FOR 3/4 OR 1 ROD
	141	D1104US	ANC 1-1/2" RCS X 10" HELIX; FOR 3/4 OR 1 ROD
	142	D1114US	ANC 1-1/2" RCS X 12" HELIX; FOR 3/4 OR 1 ROD
	143	D1134US	ANC 1-1/2" RCS X 14" HELIX; FOR 3/4 OR 1 ROD
	144	D284US	ANC 1-1/2" RCS X 8" HELIX (2); FOR 3/4 OR 1 ROD
	145	D2104US	ANC 1-1/2" RCS X 10" HELIX (2); FOR 3/4 OR 1 ROD
POWER HUB ANCHORS 7000 FTLBS	146	D1847US	ANC 1-1/2" RCS X 8" HELIX; FOR 3/4 OR 1 ROD
	147	D11047US	ANC 1-1/2" RCS X 10" HELIX; FOR 3/4 OR 1 ROD
	148	76134	ANC 1-1/2" RCS X 10" HELIX; FOR 3/4 OR 1 ROD (8000 FT-LBS)
	149	D11147US	ANC 1-1/2" RCS X 12" HELIX; FOR 3/4 OR 1 ROD
	150	D2447US	ANC 1-1/2" RCS X 4" HELIX (2); FOR 3/4 OR 1 ROD
	151	76240	ANC 1-1/2" RCS X 4" HELIX (2); FOR 3/4 OR 1 ROD
	152	D2847US	ANC 1-1/2" RCS X 8" HELIX (2); FOR 3/4 OR 1 ROD
EXPANDING (BUST) ANCHORS	153	D21047US	ANC 1-1/2" RCS X 10" HELIX (2); FOR 3/4 OR 1 ROD
	154	J8135US	ANCHOR EXPANDING 5/8 OR 3/4 ROD; 135 SQIN; 8" HOLE
	155	J81351US	ANCHOR EXPANDING 1 ROD; 135 SQIN; 8" HOLE
	156	J820034US	ANCHOR EXPANDING 5/8 OR 3/4 ROD; 200 SQIN; 10" HOLE
	157	J02831US	ANCHOR EXPANDING 1 ROD; 300 SQIN; 12" HOLE
	158	76822	ANCHOR EXPANDING 5/8 OR 3/4 ROD; 135 SQIN; 8" HOLE
CROSS-PLATE ANCHORS	159	J4817US	ANCHOR POLE KEY
	160	J3516US	CROSS PLATE ANC 5/8 OR 3/4 ROD; 150SQIN
	161	76800	CROSS PLATE ANC 5/8 OR 3/4 ROD; 150SQIN
	162	J3520US	CROSS PLATE ANC 5/8 OR 3/4 ROD; 250SQIN
	163	J35201US	CROSS PLATE ANC 1 ROD; 250SQIN
	164	J352434US	CROSS PLATE ANC 5/8 OR 3/4 ROD; 400SQIN
	165	J3524US	CROSS PLATE ANC 1 ROD; 400SQIN
SOCKET DRIVE ANCHOR	166	J35241US	CROSS PLATE ANC 1-1/4 ROD; 400SQIN
	167	76843	2-1/4 SOCKET ANC 10 INCH HELIX; FOR 3/4 OR 1 INCH RODS
MANTA RAY ANCHORS	168	20210UTIIUS	MR-3-5/8
	169	20199UTIIUS	MR-2-1
	170	20036UTIIUS	MR-1-1
	171	20229UTIIUS	MR-SR-1

MPS MacLean Power Systems

revision K, 20261030

RODS FOR CROSS- PLATE ANCHORS AND EXPANDING ANCHORS	172	J7415US	ROD ANCHOR SINGLE EYE 5/8" X 5'	
	173	J7416US	ROD ANCHOR SINGLE EYE 5/8" X 6'	
	174	J7418US	ROD ANCHOR SINGLE EYE 5/8" X 8'	
RODS FOR CROSS- PLATE ANCHORS	175	J7516US	ROD ANCHOR TWIN EYE 5/8" X 6'	
	176	J7517US	ROD ANCHOR TWIN EYE 5/8" X 7'	
	177	J7518US	ROD ANCHOR TWIN EYE 5/8" X 8'	
	178	J7527US	ROD ANCHOR TWIN EYE 3/4" X 7'	
	179	J7528US	ROD ANCHOR TWIN EYE 3/4" X 8'	
	180	J7529US	ROD ANCHOR TWIN EYE 3/4" X 9'	
	181	J7538US	ROD ANCHOR TWIN EYE 1" X 8'	
	182	J7540US	ROD ANCHOR TWIN EYE 1" X 10'	
	183	J7329US	ROD ANCHOR TRIPLE EYE 3/4" X 9'	
	184	J7340US	ROD ANCHOR TRIPLE EYE 1" X 10'	
	185	J7350US	ROD ANCHOR TRIPLE EYE 1-1/4" X 10'	
ANCHOR LEAD 7000 FTLBS	186	D66327US	ANC 1-1/2" RCS X 8" 10" HELIX; 60 INCH LENGTH	K
	187	D66367US	ANC 1-1/2" RCS X 8" 10" 12" HELIX; 84 INCH LENGTH	K
	188	D66377US	ANC 1-1/2" RCS X 10" 12" 14" HELIX; 84 INCH LENGTH	K
ANCHOR LEAD 5500 FTLBS	189	D6634US	ANC 1-1/2" RCS X 10" 12" HELIX; 42 INCH LENGTH	K
	190	D6636US	ANC 1-1/2" RCS X 8" 10" 12" HELIX; 66 INCH LENGTH	K
	191	D6637US	ANC 1-1/2" RCS X 10" 12" 14" HELIX; 84 INCH LENGTH	K
	192	D6638US	ANC 1-1/2" RCS X 10" 12" 14" 14" HELIX; 126 INCH LENGTH	K
ANCHOR LEAD 10000 FTLBS	193	D17538US	ANC 1-3/4" RCS X 10" 12" 14" 14" HELIX; 120 INCH LENGTH	K
ANCHOR LEAD 2300 FTLBS	194	D6710US	ANC 1-1/4" ROUND BAR X 10" HELIX; 42 INCH LENGTH	K

MPS MacLean Power Systems

revision K, 20261030

WEDGE CLAMPS	195	7195	#2 - #6 WEDGE CLAMP W/ SOLID STAINLESS STEEL BAIL	K
	196	7187	1/0 - #4 WEDGE CLAMP W/ SOLID STAINLESS STEEL BAIL	K
COPPER SPLICES	197	41	#4 SOLID AUTOMATIC COPPER SPLICE	K
	198	27	#2 7-STRAND AUTOMATIC COPPER SPLICE	K
	199	207	2/0 7-STRAND AUTOMATIC COPPER SPLICE	K
	200	307	3/0 7-STRAND AUTOMATIC COPPER SPLICE	K
	201	407	4/0 7-STRAND AUTOMATIC COPPER SPLICE	K
EQUIP. MOUNT	202	J6866	3Ø TRANSFORMER MOUNT 75 TO 333 KVA	K



October 30th, 2026

Ron Kmiecik, Product Manager
 MacLean Power Systems
 481 Munn Rd, Suite 300
 Fort Mill, SC 29715

This information serves as MacLean-Power Systems current affirmation that the items listed above, for the dates specified above, are compliant with the Federal Highway Administration (FHWA) Buy America requirement 23 USC §313 Buy America; 23 CFR §635.410. Due to market demand, volatile fluctuations in commodity or raw material processing and deviations in supplier material quality performance, MacLean Power Systems reserves the right to change material suppliers at any time and at our discretion without notification to our distributors and customers. MacLean Power Systems disclaims any intention, obligation or use of this information in support of the recipients use for customs, export, tax or financial reasons of any kind, and in no event will MacLean Power Systems be held liable for providing this information if the recipient uses this information for any direct or indirect use that results in collateral or incidental damages, loss of profits or revenue or economic or consequential damages of any kind. If the recipient requires specific details for export or shipping use please contact MacLean Power Systems Customer service.