



Date: 1/10/2020

Page: 1 of 1

Due to environmental, health, and safety requirements MacLean Power Systems has suspended their in-house lead threading operations for fiberglass brackets effective December 31, 2019.

All fiberglass brackets with lead threads (Figure 1) have been discontinued and are being replaced by their functional equivalent which has a nylon thread in place of lead. Table 1 shows a cross reference between current lead thread and the equivalent nylon thread catalog numbers for reference.

Please take note and update any standards accordingly. Test reports and drawings are available for the nylon threaded parts upon request. All new orders should be placed under the new nylon equivalent catalog numbers; existing orders will be produced as previously entered and any exceptions will be communicated accordingly.

Please contact your MPS representative for assistance with specification or to obtain additional help as needed.


Michael Valenza | Product Manager

MPS – Alabama Operations

1909 Highway 87, Alabaster, AL 35007

www.macleangepower.com

Single, Double & Triple Phase Brackets



Fiberglass Brackets with these options will be obsolete as of December 31, 2019.

Thread Type	Obsolete Lead Thread Catalog Number	Equivalent Nylon Thread Catalog Number
Vertical Pin 1" Thread	G1HDA124DV2	G1HDA124DV5
	G1HDA424DV2	G1HDA424DV5
	G1HDA436DV2	G1HDA436DV5
	G1HDA518DV2	G1HDA518DV5
	G1HDA526DV2C1X2	G1HDA526DV5C1X2
	G1MAA218DV2	G1MAA218DV5
	G1MAA226DV2C1	G1MAA226DV5C1
	G1MDA116DV2	G1MDA116DV5
	G1MDA118DV2	G1MDA118DV5
	G1MDA121DV2	G1MDA121DV5
	G1MDA321DV2	G1MDA321DV5
	G2HDA360DV2C1	G2HDA360DV5C1
	G2MDA260DV2C1	G2MDA260DV5C1
Vertical Pin 1-3/8" Thread	G1HDA118DV4	G1HDA118DV6
	G1HDA421DV4	G1HDA421DV6
	G1HDA424DV4	G1HDA424DV6
	G1MDA118DV4	G1MDA118DV6
	G1MDA318DV4	G1MDA318DV6
	G2MDA148DV4	G2MDA148DV6
Straight Pin 1" Thread	G1HAR115DS2SC	G1HAR115DS5SC
	G1HDR113DS2C1	G1HDR113DS5C1
	G1HDR118DS2C1	G1HDR118DS5C1
	G1HDR140DS2	G1HDR140DS5
	G1HDR148DS2SC	G1HDR148DS5SC
	G1MAJ112DS2	G1MAJ112DS5
	G1MAJ112DS2SC	G1MAJ112DS5SC
	G1MAJ113DS2	G1MAJ113DS5
	G1MAJ113DS2C1	G1MAJ113DS5C1
	G1MAJ118DS2	G1MAJ118DS5
	G1MAJ118DS2C1	G1MAJ118DS5C1
	G1MAJ21803DS2C1	G1MAJ21803DS5C1
	G1MAJ21805DS2C1	G1MAJ21805DS5C1
	G1MDA116DS2	G1MDA116DS5
	G1MDA118DS2	G1MDA118DS5
	G1MDJ21203DS2	G1MDJ21203DS5
G1MDJ21303DS2C1	G1MDJ21303DS5C1	
Straight Pin 1-3/8" Thread	G1MDR112DS4	G1MDR112AS3
	G1MDR118DS4	G1MDR118AS3
	G1MDR124DS4	G1MDR124AS3
Downlead 1" Thread	DLBB-12-LH-LT	DLBB-12T

Table 1 – Lead to Nylon Thread Catalog Number Cross Reference